

COPY VENDING MACHINE

Kopirkin 



COPIES. **SIMPLE.**

SPECIFICATIONS

Copying

Copying mode: black-and-white.

Paper size: up to A4.

Paper tray capacity: up to 1100 sheets *.

Maximum duty cycle: 20 000 pages / month.

Copy resolution: 600 x 600 dpi.

Payment

Various currencies are supported.

Accepts coins and banknotes **.

Configurable copy price.

Coin acceptor with a change function. **

Coin box capacity: 3,3 litres.

Banknote stacker capacity: 600 banknotes.

Work speed

First page out: 20 seconds after machine “wake up” (when first coin/bill is deposited).

Each subsequent page copying time: 10 seconds.

Extras

GSM module for remote monitoring (via SMS or using our web service). **

Construction

Dimensions: depth 550 mm, width 870 mm, height 1100 mm.

Metal casing – 2mm stainless steel.

Toughened exposure glass.

Capable of bolting to the floor.

Storage compartment for 15 standard paper packs.

Warranty and service

Kopirkin has a full 1 year warranty.

Full service and maintenance plans are available.

* 550 sheets in basic configuration.

** optional feature, not included in basic configuration.

COPY VENDING

As of today, copy services are one of the least developed self-service sectors.

In many countries, there is a complete lack of publicly available copy services. In developed countries, you can find them in many convenience or stationery shops – which is good, but not enough. Copy vending is often a last minute “lifesaver”. When people need it – they need it badly, otherwise they would have made the copies beforehand, at their home or office. They are willing to pay extra – but only for the convenience and availability of the service.

Currently, two approaches exist for providing a copy service to clients, and both have problems with either availability or convenience.



Copier with a human operator

Requires setting up a workplace, takes too much space, and in most cases is not cost-efficient due to operator salary. Additionally has poor availability due to dinner breaks, leaves, holidays etc.



Copier with a vending module

Does not have the “human resource” problems of the first approach, but still involves a free-standing copier – costly and damageable equipment, meaning it cannot be set up just anywhere – where people really need it. Besides, for a first time user, regular copiers have rather complex interfaces.

WHY KOPIRKIN IS DIFFERENT?

The idea behind the Kopirkin was – to create a solution, which does not have the problems of existing approaches. We deliberately left out advanced features, and created **a true copy vending machine**.




Robust

Unlike existing vending coin-op add-ons, Kopirkin is a single unit, fully enclosed in metal casing, with toughened exposure glass.




Simple

The machine has just one button – “COPY”, and is very easy to use. Even elderly people, generally having little to do with technology, can use it.



Optimized for networked business

The Kopirkin has separately keyed money and maintenance compartments, and a special storage space for 15 paper packs, allowing for logistics optimization. You can receive SMS messages with critical alerts and statistics directly to your mobile phone, or monitor your Kopirkins network through our web service.



- 1 Lid.** Covers the exposure glass, tightly pressing original document to it, for crisp and clear copies.
- 2 Exposure glass,** toughened and scratch-proof. Capable of withstanding serious levels of aggression (like a blow from a fist or stick). Can be replaced easily and affordably, costing less than 10€.
- 3 Metal casing,** made completely of 2mm stainless steel. Powder painted for long-lasting appearance. Machine can be secured to the floor with anchor bolts.
- 4 Screw legs** allow installation of Kopirkin firmly on any surface.
- 5 “COPY” push button.** When Kopirkin is ready to make copies, this button lights blue. Heavy-duty, with several million pushes life. Costs less than 3€, and is easily replaceable.
- 6 Bill acceptor slot.** ICT bill acceptor features a self-adjusting sensor system with 96% or higher acceptance rate, advanced anti-stringing technology (99% success rate), and is easily removable for cleaning. It is equipped with a 600-banknote stacker.
- 7 Output tray** with internal illumination, which activates when copies are dispensed.
- 8 Coin acceptor slot.** Kopirkin uses highly reliable coin acceptors, made by NRI, Germany. As an option, an advanced coin acceptor with a 4-tube changer is available.

9 Instructions panel. Most people will understand how to use machine intuitively: place original, deposit money, press “COPY”. Instructions make it a simple “no-thinking” process, depicting five essential steps.

| 1 Raise the lid, put original face down on the glass | 2 Deposit money – coins and/or banknotes | 3 Press the “COPY” button | 4 Take your copies | 5 Don't forget to take your original | | | | | | | | | | | | | | | | | | | | |
|---|---|----------------------------------|---------------------------|---|--|---|----|----|----|----|-----|-----|----|--|--|-----|--|--|--|-----|--|--|--|--|
| | <table border="1"> <thead> <tr> <th colspan="2">BANKNOTES</th> <th colspan="2">COINS</th> </tr> </thead> <tbody> <tr> <td>5</td> <td>5€</td> <td>5c</td> <td>1€</td> </tr> <tr> <td>10</td> <td>10€</td> <td>10c</td> <td>2€</td> </tr> <tr> <td></td> <td></td> <td>20c</td> <td></td> </tr> <tr> <td></td> <td></td> <td>50c</td> <td></td> </tr> </tbody> </table> | BANKNOTES | | COINS | | 5 | 5€ | 5c | 1€ | 10 | 10€ | 10c | 2€ | | | 20c | | | | 50c | | | | |
| BANKNOTES | | COINS | | | | | | | | | | | | | | | | | | | | | | |
| 5 | 5€ | 5c | 1€ | | | | | | | | | | | | | | | | | | | | | |
| 10 | 10€ | 10c | 2€ | | | | | | | | | | | | | | | | | | | | | |
| | | 20c | | | | | | | | | | | | | | | | | | | | | | |
| | | 50c | | | | | | | | | | | | | | | | | | | | | | |

10 Display. Two-row, high contrast backlit LCD. In normal operation mode, it displays guiding messages for the user. It is also used for configuring the machine in maintenance mode – in conjunction with the service keyboard (see below).



11 Maintenance compartment door. Protected with a cam lock. This door gives technical personnel access to the copier unit, for reloading paper, removing paper jams, and changing cartridges. Under the copier is a storage space for 15 standard (500-sheet) bundles of paper. On the back of the door a 4-key service keyboard resides, which is used for machine configuration and maintenance.




12 Money compartment door. Has a separate, highly secure six-lever lock with a double-bit key. Money compartment contains coin box and banknote stacker cassette, which can be easily removed for money collection.



13 Change return button, available in the configuration with the changer. When user presses this button, any unused credit is returned (in coins) into the

14 change return window.

15 GSM module powers the remote monitoring feature, which greatly simplifies maintenance for Kopirkin operators. Kopirkin sends its usage statistics and status by SMS message to the configured phone number. This can be either the operator's mobile phone, or our monitoring centre number. In the latter case, the operator can securely view all his machines statistics via web interface on our website. When there's a problem with the machine, it notifies technical personnel with an SMS message containing the error description.



For additional information, including location suggestions, "profit calculator", and technical specifications, - please visit our website:

www.kopirkin.com

To get prices and warranty details for your country, and order Kopirkin – please contact us via contact form on the website or via email:

sales@kopirkin.com